

**RON central heating radiator price list 2010 - excluding VAT**

<b>RAL Classic Colours</b>		<b>No of sections</b>													
		1		2		3		4		5		6		7	
		52		104		156		208		260		312		364	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£	W	£
200	44	44	118	87	154	131	189	174	225	218	261	262	297	305	332
400	81	81	126	162	170	244	214	325	258	406	301	487	345	568	389
600	115	115	137	230	191	346	246	461	300	576	354	691	409	806	463
1000	182	182	198	364	268	546	338	728	408	910	501	1092	578	1274	649
1500	258	258	218	516	309	774	399	1032	490	1290	610	1548	701	1806	791
1800	302	302	231	604	340	906	470	1208	585	1510	694	1812	802	2114	911
<b>Polished Aluminium</b>		<b>No of sections</b>													
		1		2		3		4		5		6		7	
		52		104		156		208		260		312		364	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£	W	£
200	35	35	119	70	153	105	188	140	223	174	258	209	292	244	327
400	65	65	127	130	169	195	211	260	253	325	294	390	336	455	378
600	92	92	138	184	190	276	241	369	292	461	343	553	395	645	446
1000	146	146	206	291	277	437	348	582	418	728	512	874	590	1019	661
1500	206	206	231	413	322	619	414	826	505	1032	626	1238	718	1445	810
1800	241	241	247	482	357	723	488	964	605	1205	714	1446	824	1687	934
<b>Matt Aluminium</b>		<b>No of sections</b>													
		1		2		3		4		5		6		7	
		52		104		156		208		260		312		364	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£	W	£
200	35	35	129	70	174	105	220	140	265	174	310	209	355	244	401
400	65	65	140	130	195	195	249	260	304	325	359	390	413	455	468
600	92	92	154	184	220	276	287	369	353	461	420	553	486	645	553
1000	146	146	222	291	309	437	396	582	483	728	593	874	687	1019	775
1500	206	206	251	413	363	619	475	826	586	1032	728	1238	840	1445	952
1800	241	241	270	482	403	723	558	964	698	1205	831	1446	964	1687	1098
<b>Gold</b>		<b>No of sections</b>													
		1		2		3		4		5		6		7	
		52		104		156		208		260		312		364	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£	W	£
200	35	35	141	70	190	105	239	140	289	174	338	209	387	244	401
400	65	65	153	130	212	195	272	260	331	325	391	390	451	455	468
600	92	92	167	184	240	276	312	369	385	461	457	553	530	645	553
1000	146	146	242	291	337	437	432	582	527	728	646	874	749	1019	775
1500	206	206	273	413	395	619	517	826	639	1032	794	1238	915	1445	952
1800	241	241	295	482	440	723	608	964	761	1205	906	1446	1051	1687	1098

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end side unless otherwise specified

Bottom connections can be specified for £56.93 extra per radiator

All Eskimo products are manufactured in the UK

**RON central heating radiator price list 2010 - excluding VAT**

<b>RAL Classic Colours</b>			<b>No of sections</b>											
			8		9		10		11		12		13	
		Width of radiator	416		468		520		572		624		676	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	44		349	368	392	404	436	439	480	475	523	511	567	546
400	81		650	433	731	477	812	520	893	572	974	616	1056	682
600	115		922	517	1037	594	1152	656	1267	710	1382	765	1498	819
1000	182		1456	719	1638	789	1820	859	2002	929	2184	1007	2366	1077
1500	258		2064	882	2322	973	2580	1093	2838	1183	3096	1274	3354	1365
1800	302		2416	1048	2718	1156	3020	1265	3322	1373	3624	1489	3926	1598
<b>Polished Aluminium</b>			<b>No of sections</b>											
			8		9		10		11		12		13	
		Width of radiator	416		468		520		572		624		676	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		279	362	314	397	349	431	384	466	419	501	453	536
400	65		520	420	585	461	650	503	715	552	780	594	844	658
600	92		737	497	829	571	922	630	1014	681	1106	732	1198	783
1000	146		1165	732	1310	803	1456	873	1602	944	1747	1023	1893	1094
1500	206		1651	901	1858	993	2064	1114	2270	1205	2477	1297	2683	1388
1800	241		1928	1072	2169	1182	2410	1292	2651	1401	2892	1518	3133	1628
<b>Matt Aluminium</b>			<b>No of sections</b>											
			8		9		10		11		12		13	
		Width of radiator	416		468		520		572		624		676	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		279	446	314	491	349	536	384	581	419	627	453	672
400	65		520	523	585	577	650	632	715	694	780	749	844	826
600	92		737	619	829	708	922	782	1014	849	1106	915	1198	982
1000	146		1165	862	1310	949	1456	1036	1602	1123	1747	1218	1893	1305
1500	206		1651	1063	1858	1175	2064	1317	2270	1429	2477	1541	2683	1652
1800	241		1928	1259	2169	1392	2410	1525	2651	1658	2892	1799	3133	1932
<b>Gold</b>			<b>No of sections</b>											
			8		9		10		11		12		13	
		Width of radiator	416		468		520		572		624		676	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		279	486	314	535	349	584	384	634	419	683	453	732
400	65		520	570	585	629	650	689	715	756	780	816	844	900
600	92		737	675	829	772	922	852	1014	925	1106	997	1198	1070
1000	146		1165	939	1310	1034	1456	1129	1602	1224	1747	1327	1893	1422
1500	206		1651	1159	1858	1281	2064	1435	2270	1557	2477	1679	2683	1801
1800	241		1928	1373	2169	1518	2410	1663	2651	1808	2892	1961	3133	2106

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end side unless otherwise specified

Bottom connections can be specified for £56.93 extra per radiator

All Eskimo products are manufactured in the UK

**RON central heating radiator price list 2010 - excluding VAT**

<b>RAL Classic Colours</b>			<b>No of sections</b>											
			14		15		16		17		18		19	
		Width of radiator	728		780		832		884		936		988	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	44		610	590	654	625	698	661	741	697	785	732	828	790
400	81		1137	725	1218	769	1299	813	1380	857	1462	901	1543	944
600	115		1613	873	1728	928	1843	982	1958	1037	2074	1091	2189	1145
1000	182		2548	1170	2730	1240	2912	1310	3094	1380	3276	1458	3458	1528
1500	258		3612	1455	3870	1553	4128	1644	4386	1734	4644	1825	4902	1915
1800	302		4228	1706	4530	1814	4832	1930						
<b>Polished Aluminium</b>			<b>No of sections</b>											
			14		15		16		17		18		19	
		Width of radiator	728		780		832		884		936		988	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		488	578	523	613	558	647	593	682	628	717	663	774
400	65		909	700	974	742	1039	784	1104	825	1169	867	1234	909
600	92		1290	835	1382	886	1475	937	1567	988	1659	1040	1751	1091
1000	146		2038	1187	2184	1258	2330	1329	2475	1399	2621	1478	2766	1549
1500	206		2890	1480	3096	1579	3302	1671	3509	1762	3715	1854	3922	1945
1800	241		3374	1737	3615	1847	3856	1964						
<b>Matt Aluminium</b>			<b>No of sections</b>											
			14		15		16		17		18		19	
		Width of radiator	728		780		832		884		936		988	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		488	725	523	770	558	815	593	860	628	906	663	973
400	65		909	880	974	935	1039	989	1104	1044	1169	1099	1234	1153
600	92		1290	1048	1382	1115	1475	1181	1567	1248	1659	1314	1751	1381
1000	146		2038	1414	2184	1501	2330	1588	2475	1676	2621	1770	2766	1857
1500	206		2890	1764	3096	1884	3302	1995	3509	2107	3715	2219	3922	2331
1800	241		3374	2065	3615	2198	3856	2338						
<b>Gold</b>			<b>No of sections</b>											
			14		15		16		17		18		19	
		Width of radiator	728		780		832		884		936		988	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		488	790	523	839	558	888	593	938	628	987	663	1061
400	65		909	959	974	1019	1039	1079	1104	1138	1169	1198	1234	1257
600	92		1290	1142	1382	1215	1475	1287	1567	1360	1659	1432	1751	1505
1000	146		2038	1542	2184	1636	2330	1731	2475	1826	2621	1930	2766	2025
1500	206		2890	1923	3096	2053	3302	2175	3509	2297	3715	2419	3922	2541
1800	241		3674	2345	3936	2496	4198	2655						

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412  
 All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end side unless otherwise specified

Bottom connections can be specified for £56.93 extra per radiator

All Eskimo products are manufactured in the UK

**RON central heating radiator price list 2010 - excluding VAT**

<b>RAL Classic Colours</b>			<b>No of sections</b>											
			20		21		22		23		24		25	
		Width of radiator	1040		1092		1144		1196		1248		1300	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	44		872	826	916	862	959	898	1003	933	1046	969	1090	1005
400	81		1624	988	1705	1032	1786	1083	1868	1127	1949	1171	2030	1215
600	115		2304	1207	2419	1261	2534	1338	2650	1393	2765	1447	2880	1501
1000	182		3640	1598	3822	1669	4004	1739	4186	1809	4368	1887	4550	1957
1500	258		5160	2013	5418	2104	5676	2195						
1800	302													
<b>Polished Aluminium</b>			<b>No of sections</b>											
			20		21		22		23		24		25	
		Width of radiator	1040		1092		1144		1196		1248		1300	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		698	809	732	843	767	878	802	913	837	947	872	982
400	65		1299	951	1364	992	1429	1042	1494	1083	1559	1125	1624	1167
600	92		1843	1150	1935	1201	2028	1274	2120	1326	2212	1377	2304	1428
1000	146		2912	1620	3058	1690	3203	1761	3349	1832	3494	1911	3640	1981
1500	206		4128	2044	4334	2136	4541	2227						
1800	241													
<b>Matt Aluminium</b>			<b>No of sections</b>											
			20		21		22		23		24		25	
		Width of radiator	1040		1092		1144		1196		1248		1300	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		698	1018	732	1064	767	1109	802	1154	837	1199	872	1244
400	65		1299	1208	1364	1263	1429	1325	1494	1379	1559	1434	1624	1489
600	92		1843	1455	1935	1521	2028	1610	2120	1676	2212	1743	2304	1809
1000	146		2912	1944	3058	2032	3203	2119	3349	2206	3494	2300	3640	2388
1500	206		4128	2450	4334	2562	4541	2674						
1800	241													
<b>Gold</b>			<b>No of sections</b>											
			20		21		22		23		24		25	
		Width of radiator	1040		1092		1144		1196		1248		1300	
Height (mm)	Output per section (watts)		W	£	W	£	W	£	W	£	W	£	W	£
200	35		698	1110	732	1159	767	1209	802	1258	837	1307	872	1356
400	65		1299	1317	1364	1376	1429	1444	1494	1504	1559	1563	1624	1623
600	92		1843	1586	1935	1658	2028	1755	2120	1827	2212	1900	2304	1972
1000	146		2912	2119	3058	2214	3203	2309	3349	2404	3494	2508	3640	2602
1500	206		4128	2671	4334	2793	4541	2915						
1800	241													

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412  
 All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end side unless otherwise specified

Bottom connections can be specified for £56.93 extra per radiator

All Eskimo products are manufactured in the UK

**RON central heating radiator price list 2010 - excluding VAT**

<b>RAL Classic Colours</b>		<b>No of sections</b>											
		26		27		28		29		30		31	
		1352		1404		1456		1508		1560		1612	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£
200	44	1134	1040	1177	1076	1221	1119	1264	1155	1308	1191	1352	1226
400	81	2111	1259	2192	1302	2274	1346	2355	1390	2436	1434	2517	1477
600	115	2995	1556	3110	1610	3226	1664	3341	1719	3456	1781	3571	1835
1000	182	4732	2027	4914	2097	5096	2168	5278	2238	5460	2315	5642	2386
1500	258												
1800	302												
<b>Polished Aluminium</b>		<b>No of sections</b>											
		26		27		28		29		30		31	
		1352		1404		1456		1508		1560		1612	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£
200	35	907	1017	942	1052	977	1094	1012	1129	1046	1163	1081	1198
400	65	1689	1209	1754	1251	1819	1292	1884	1334	2436	1376	2014	1418
600	92	2396	1479	2488	1531	2580	1582	2673	1633	2765	1692	2857	1743
1000	146	3786	2052	3931	2123	4077	2194	4222	2265	4368	2343	4514	2414
1500	206												
1800	241												
<b>Matt Aluminium</b>		<b>No of sections</b>											
		26		27		28		29		30		31	
		1352		1404		1456		1508		1560		1612	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£
200	35	907	1290	942	1335	977	1388	1012	1433	1046	1478	1081	1523
400	65	1689	1543	1754	1598	1819	1653	1884	1707	2436	1762	2014	1817
600	92	2396	1876	2488	1942	2580	2009	2673	2075	2765	2149	2857	2216
1000	146	3786	2475	3931	2562	4077	2649	4222	2736	4368	2831	4514	2918
1500	206												
1800	241												
<b>Gold</b>		<b>No of sections</b>											
		26		27		28		29		30		31	
		1352		1404		1456		1508		1560		1612	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£
200	35	907	1406	942	1455	977	1513	1012	1562	1046	1611	1081	1660
400	65	1689	1682	1754	1742	1819	1801	1884	1861	2436	1920	2014	1980
600	92	2396	2045	2488	2117	2580	2190	2673	2262	2765	2343	2857	2415
1000	146	3786	2697	3931	2792	4077	2887	4222	2982	4368	3085	4514	3180
1500	206												
1800	241												

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412  
 All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end side unless otherwise specified

Bottom connections can be specified for £56.93 extra per radiator

All Eskimo products are manufactured in the UK

**RON central heating radiator price list 2010 - excluding VAT**

<b>RAL Classic Colours</b>		<b>No of sections</b>											
		32		33		34		35		36		37	
		1664		1716		1768		1820		1872		1924	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£
200	44	1395	1262	1439	1298	1482	1333	1526	1369	1570	1405	1613	1441
400	81	2598	1544	2680	1595	2761	1639	2842	1682	2923	1726	3004	1770
600	115	3686	1889	3802	1944	3917	1998	4032	2052	4147	2107	4262	2161
1000	182												
1500	258												
1800	302												
<b>Polished Aluminium</b>		<b>No of sections</b>											
		32		33		34		35		36		37	
		1664		1716		1768		1820		1872		1924	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£
200	35	1116	1233	1151	1268	1186	1302	1221	1337	1256	1372	1291	1407
400	65	2079	1459	2144	1509	2209	1550	2274	1592	2339	1634	2404	1676
600	92	2949	1795	3041	1846	3133	1897	3226	1948	3318	2000	3410	2051
1000	146												
1500	206												
1800	241												
<b>Matt Aluminium</b>		<b>No of sections</b>											
		32		33		34		35		36		37	
		1664		1716		1768		1820		1872		1924	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£
200	35	1116	1569	1151	1614	1186	1659	1221	1704	1256	1750	1291	1795
400	65	2079	1871	2144	1933	2209	1988	2274	2043	2436	2097	2404	2152
600	92	2949	2283	3041	2349	3133	2416	3226	2482	3318	2549	3410	2615
1000	146												
1500	206												
1800	241												
<b>Gold</b>		<b>No of sections</b>											
		32		33		34		35		36		37	
		1664		1716		1768		1820		1872		1924	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£
200	35	1116	1710	1151	1759	1186	1808	1221	1858	1256	1907	1291	1956
400	65	2079	2040	2144	2107	2209	2167	2274	2226	2436	2286	2404	2346
600	92	2949	2488	3041	2560	3133	2633	3226	2705	3318	2778	3410	2850
1000	146												
1500	206												
1800	241												

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412  
 All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end side unless otherwise specified

Bottom connections can be specified for £56.93 extra per radiator

All Eskimo products are manufactured in the UK

**RON central heating radiator price list 2010 - excluding VAT**

<b>RAL Classic Colours</b>		<b>No of sections</b>											
		38		39		40		41		42		43	
		1976		2028		2080		2132		2184		2236	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£
200	44	1657	1476	1700	1512	1744	1548	1788	1583	1831	1627	1875	1662
400	81	3086	1814	3167	1858	3248	1901	3329	1945	2436	1989	3492	2033
600	115	4378	2215	4493	2270	4608	2332	4723	2386	4838	2440	4954	2495
1000	182												
1500	258												
1800	302												
<b>Polished Aluminium</b>		<b>No of sections</b>											
		38		39		40		41		42		43	
		1976		2028		2080		2132		2184		2236	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£
200	35	1325	1441	1360	1476	1395	1511	1430	1546	1465	1588	1500	1623
400	65	2468	1717	2533	1759	2598	1801	2663	1843	2436	1885	2793	1926
600	92	3502	2102	3594	2153	3686	2212	3779	2263	3871	2315	3963	2366
1000	146												
1500	206												
1800	241												
<b>Matt Aluminium</b>		<b>No of sections</b>											
		38		39		40		41		42		43	
		1976		2028		2080		2132		2184		2236	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£
200	35	1325	1840	1360	1885	1395	1930	1430	1976	1465	2028	1500	2074
400	65	2468	2206	2533	2261	2598	2316	2663	2370	2436	2425	2793	2480
600	92	3502	2682	3594	2748	3686	2822	3779	2889	3871	2955	3963	3022
1000	146												
1500	206												
1800	241												
<b>Gold</b>		<b>No of sections</b>											
		38		39		40		41		42		43	
		1976		2028		2080		2132		2184		2236	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£
200	35	1325	2006	1360	2055	1395	2104	1430	2154	1465	2211	1500	2260
400	65	2468	2405	2533	2465	2598	2524	2663	2584	2436	2643	2793	2703
600	92	3502	2923	3594	2995	3686	3076	3779	3149	3871	3221	3963	3294
1000	146												
1500	206												
1800	241												

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end side unless otherwise specified

Bottom connections can be specified for £56.93 extra per radiator

All Eskimo products are manufactured in the UK

**RON central heating radiator price list 2010 - excluding VAT**

<b>RAL Classic Colours</b>		<b>No of sections</b>													
		44		45		46		47		48		49		50	
		2288		2340		2392		2444		2496		2548		2600	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£	W	£
200	44	1918	1698	1962	1734	2006	1769	2049	1805	2093	1841	2136	1876	2180	1912
400	81	3573	2084	3654	2128	3735	2172	3816	2216	2436	2259	3979	2303	4060	2347
600	115	5069	2549	5184	2603	5299	2658	5414	2712	5530	2766	5645	2821	5760	2883
1000	182														
1500	258														
1800	302														
<b>Polished Aluminium</b>		<b>No of sections</b>													
		44		45		46		47		48		49		50	
		2288		2340		2392		2444		2496		2548		2600	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£	W	£
200	35	1535	1657	1570	1692	1604	1727	1639	1762	1674	1796	1709	1831	1744	1866
400	65	2858	1976	2923	2017	2988	2059	3053	2101	2436	2143	3183	2184	3248	2226
600	92	4055	2417	4147	2468	4239	2520	4332	2571	4424	2622	4516	2673	4608	2732
1000	146														
1500	206														
1800	241														
<b>Matt Aluminium</b>		<b>No of sections</b>													
		44		45		46		47		48		49		50	
		2288		2340		2392		2444		2496		2548		2600	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£	W	£
200	35	1535	2119	1570	2164	1604	2209	1639	2255	1674	2300	1709	2345	1744	2390
400	65	2858	2542	2923	2596	2988	2651	3053	2706	2436	2760	3183	2815	3248	2870
600	92	4055	3088	4147	3155	4239	3221	4332	3288	4424	3354	4516	3421	4608	3495
1000	146														
1500	206														
1800	241														
<b>Gold</b>		<b>No of sections</b>													
		44		45		46		47		48		49		50	
		2288		2340		2392		2444		2496		2548		2600	
Height (mm)	Output per section (watts)	W	£	W	£	W	£	W	£	W	£	W	£	W	£
200	35	1535	2310	1570	2359	1604	2408	1639	2458	1674	2507	1709	2556	1744	2605
400	65	2858	2771	2923	2830	2988	2890	3053	2949	2436	3009	3183	3068	3248	3128
600	92	4055	3366	4147	3439	4239	3511	4332	3584	4424	3656	4516	3729	4608	3809
1000	146														
1500	206														
1800	241														

To convert heat output to BTU/hr multiply the figure shown for watts by 3.412

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate performance at different Delta Ts please see the technical pages in the brochure or on the website.

Connections are 1/2" BSP opposite end side unless otherwise specified

Bottom connections can be specified for £56.93 extra per radiator

All Eskimo products are manufactured in the UK



**RON Standard Towel Rail Price List 2010 excluding VAT**

	Dimensions (mm) height x length x depth including towel rail	Output (watts) in colours	Output (watts) in metal finishes	Number of Rails	Price in a colour	Price in polished aluminium	Price in matt aluminium (towel castings are polished aluminium)	Price in gold (towel castings are polished aluminium)
<b>RON-6 (600mm high)</b>								
RON-6-416	600x416x170	932	737	1	627	607	729	788
RON-6-728	600x728x170	1630	1290	1	983	945	1158	1251
<b>RON-10 (1m high)</b>								
RON-10-364	1000x364x170	1274	1019	1	759	771	884	955
RON-10-572	1000x572x170	2002	1602	1	1040	1054	1233	1332
RON-10-364	1000x364x170	1274	1019	2	869	881	994	1074
RON-10-572	1000x572x170	2002	1602	2	1150	1164	1343	1451
<b>RON-15 (1.5m high)</b>								
RON-15-364	1500x364x170	1806	1445	1	901	920	1062	1146
RON-15-572	1500x572x170	2838	2270	1	1294	1316	1539	1662
RON-15-364	1500x364x170	1806	1445	2	1011	1030	1172	1265
RON-15-572	1500x572x170	2838	2270	2	1404	1426	1649	1781
RON-15-364	1500x364x170	1806	1445	3	1121	1140	1282	1384
RON-15-572	1500x572x170	2838	2270	3	1514	1536	1759	1900
<b>RON-18 (1.8m high)</b>								
RON-18-364	1800x364x170	2117	1688	1	1059	1082	1253	1353
RON-18-572	1800x572x170	3326	2653	1	1541	1570	1838	1985
RON-18-364	1800x364x170	2117	1688	2	1169	1192	1363	1472
RON-18-572	1800x572x170	3326	2653	2	1651	1680	1948	2104
RON-18-364	1800x364x170	2117	1688	3	1279	1302	1473	1591
RON-18-572	1800x572x170	3326	2653	3	1761	1790	2058	2223

Special sizes can be made to order - please call 0207 117 0110 for prices

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate Connections are 1/2" BSP opposite end side unless otherwise specified  
 Bottom connections can be specified for £56.93 extra per radiator  
 All Eskimo products are manufactured in the UK

T +44 (0)20 7117 0110 E [info@eskimodesign.co.uk](mailto:info@eskimodesign.co.uk)  
Eskimo Design Ltd, Valepits Road, Garretts Green, Birmingham, B33 0TD, UK  
[www.eskimodesign.co.uk](http://www.eskimodesign.co.uk)



**RON Standard Towel Rail Price List 2010 excluding VAT**

	Dimensions (mm) height x length x depth including towel rail	Output (watts) in colours	Output (watts) in metal finishes	Number of Rails	Price in a colour	Price in polished aluminium	Price in matt aluminium (towel castings are polished aluminium)	Price in gold (towel castings are polished aluminium)
<b>RON-6 (600mm high)</b>								
RON-6-416	600x416x170	932	737	1	627	607	729	788
RON-6-728	600x728x170	1630	1290	1	983	945	1158	1251
<b>RON-10 (1m high)</b>								
RON-10-364	1000x364x170	1274	1019	1	759	771	884	955
RON-10-572	1000x572x170	2002	1602	1	1040	1054	1233	1332
RON-10-364	1000x364x170	1274	1019	2	869	881	994	1074
RON-10-572	1000x572x170	2002	1602	2	1150	1164	1343	1451
<b>RON-15 (1.5m high)</b>								
RON-15-364	1500x364x170	1806	1445	1	901	920	1062	1146
RON-15-572	1500x572x170	2838	2270	1	1294	1316	1539	1662
RON-15-364	1500x364x170	1806	1445	2	1011	1030	1172	1265
RON-15-572	1500x572x170	2838	2270	2	1404	1426	1649	1781
RON-15-364	1500x364x170	1806	1445	3	1121	1140	1282	1384
RON-15-572	1500x572x170	2838	2270	3	1514	1536	1759	1900
<b>RON-18 (1.8m high)</b>								
RON-18-364	1800x364x170	2117	1688	1	1059	1082	1253	1353
RON-18-572	1800x572x170	3326	2653	1	1541	1570	1838	1985
RON-18-364	1800x364x170	2117	1688	2	1169	1192	1363	1472
RON-18-572	1800x572x170	3326	2653	2	1651	1680	1948	2104
RON-18-364	1800x364x170	2117	1688	3	1279	1302	1473	1591
RON-18-572	1800x572x170	3326	2653	3	1761	1790	2058	2223

Special sizes can be made to order - please call 0207 117 0110 for prices

All heat outputs in this list are calculated in accordance with BS EN442, based on a Delta T of 60°C - for an explanation of this and to calculate Connections are 1/2" BSP opposite end side unless otherwise specified  
 Bottom connections can be specified for £56.93 extra per radiator  
 All Eskimo products are manufactured in the UK

T +44 (0)20 7117 0110 E [info@eskimodesign.co.uk](mailto:info@eskimodesign.co.uk)  
Eskimo Design Ltd, Valepits Road, Garretts Green, Birmingham, B33 0TD, UK  
[www.eskimodesign.co.uk](http://www.eskimodesign.co.uk)